

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	41225	((photoelectri\$3 or photosensitive or photosens\$3 or photodetect\$3 or optic\$3electri\$3 or ((photo\$3 or light\$3 or optical\$3) near2 (electr\$4 or sens\$4 or detect\$3))))).clm.	US-PGPUB	OR	ON	2006/02/15 11:49
L2	906	1 and (trench or groove or slot).clm. and transparent	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/02/15 11:43
L3	354	2 and electrode	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/02/15 11:43
L4	94	2 and ((upper or second or top) adj electrode)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/02/15 11:44
L5	60	2 and ((upper or second or top) adj electrode).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/02/15 11:50
L6	35	5 and (dielectric or insulat\$3 or (\$2oxide\$2)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/02/15 11:45
L7	24670	(1 not 6) and ((photo\$3 or light\$3 or optical\$3) near2 (sens\$3 or detect\$3 or receiv\$3)).clm.	US-PGPUB	OR	ON	2006/02/15 11:50
L8	389	7 and ((upper or second or top) adj electrode).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/02/15 11:51
L9	151	8 and (transparent with electrode)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/02/15 11:51
L10	27	9 and (trench or groove or slot or mesa)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/02/15 11:52
L11	124	9 not 10	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/02/15 12:05
L12	259	257/444.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/02/15 12:32
L13	1000	438/48.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/02/15 12:35
L14	983	257/458.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/02/15 12:15

S1	4	"6215164"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/09/03 18:28
S2	7	("4943710" "5076670" "5667597" "5834822" "5962844" "5998794" "6018187").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/03 18:32
S3	2	("6215164").URPN.	USPAT	OR	ON	2005/09/03 18:34
S4	7	("4943710" "5076670" "5667597" "5834822" "5962844" "5998794" "6018187").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/03 18:35
S5	4	("4559552" "4889565" "4923524" "5235195").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/03 18:35
S6	3	("5998794").URPN.	USPAT	OR	ON	2005/09/03 18:41
S7	5000	((photosensitive or photo\$3 or light\$3 or optical\$3 or photoelectri\$3 or (photo adj electric) or photo-electric) adj (detect\$3 or sens\$3 or receiv\$3)) and ((insulat\$3 or dielectric) near2 substrate) and (electrode or plate) and (plug or contact\$3 or connect\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/02/14 18:39
S8	265	S7 and (("PIN" or "NIP" or "NI" or "IP" or "IN") near2 diode)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/09/03 20:23
S9	99	S8 and silicon and (hydrogen or germanium or carbon)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/09/03 18:48
S11	10	S9 and ((photosensitive or photo\$3 or light\$3 or optical\$3 or photoelectri\$3 or (photo adj electric) or photo-electric) adj (detect\$3 or sens\$3 or receiv\$3)).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/09/03 18:56
S12	6	("4405857" "4499384" "4542409" "4556800" "4565928" "4584607").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/03 18:54
S13	88	S9 not (S11 S12 S1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/09/03 18:56
S14	8	S13 and ((shar\$3 or common) near2 (electrode or plate))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/09/03 19:00
S15	80	S13 not S14	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/09/03 19:00
S16	27	S15 and ((upper or second) adj (electrode or plate))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/09/03 19:10
S17	53	S15 not S16	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/09/03 19:05
S18	166	S8 not S9	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/09/03 19:08

S19	106	S18 and substrate and (matrix or array)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/09/03 19:08
S20	64	S19 and ((photo or light) adj (sensitive or detect\$3) or photosensitive or lightsensitive or photo-detect\$3 or light-detect\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/09/03 20:01
S21	18	S20 and ((upper or second) adj (electrode or plate))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/09/03 19:13
S22	3	("20020171083" "5936261" "6018187").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/03 19:18
S23	3	("5998794").URPN.	USPAT	OR	ON	2005/09/03 20:00
S24	46	S20 not S21	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/09/03 20:13
S25	42	S19 not S20	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/09/03 20:14
S26	708	((photosensitive or photo\$3 or light\$3 or optical\$3 or image or photoelectri\$3 or (photo adj electric) or photo-electric) adj (detect\$3 or sens\$3 or receiv\$3)) and ((insulat\$3 or dielectric) near2 substrate) and (upper adj (electrode or plate)) and (plug or contact\$3 or connect\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/09/03 21:28
S27	678	S26 not (S1 S2 S3 S4 S5 S6 S11 S12 S14 S16 S19)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/09/03 20:23
S28	488	S27 and (\$4transparent)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/09/03 20:23
S29	2	S28 and (("PIN" or "NIP" or "NI" or "IP" or "IN") near2 diode)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/09/03 20:26
S30	249	S28 and (gap or trench or void)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/09/03 20:26
S31	178	S30 and (matrix or array)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/09/03 20:27
S32	2	S31 and (((photo or image or light or optical) adj (sensitive or detect\$4)) near2 material)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/09/03 20:30
S33	3	S31 and ((upper adj (electrode or plate)) near2 (common or shar\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/09/03 20:31

S34	17	S31 and ((photosensitive or photo\$3 or light\$3 or optical\$3 or image or photelectri\$3 or (photo adj electric) or photo-electric) adj (detect\$3 or sens\$3 or receiv\$3)).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/09/03 21:05
S35	15	"5936261"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/09/03 20:51
S36	26	"4499384"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/09/03 20:45
S37	2	((("4764682") or ("5004903"))).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/09/03 20:41
S38	2	("4943839" "4956687").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/03 20:42
S39	8	("5004903").URPN.	USPAT	OR	ON	2005/09/03 20:42
S40	10	("4745451" "5076670" "5235195" "5578837" "5936230" "5936261" "6018187" "6069365" "6215164" "6229191").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/03 20:57
S41	32	S31 and ((photosensitive or photo\$3 or light\$3 or optical\$3 or image or photelectri\$3 or (photo adj electric) or photo-electric) adj (detect\$3 or sens\$3 or receiv\$3)).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/09/03 21:04
S42	18	S41 not S34	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/09/03 21:04
S43	142	S31 not (S34 S41 S32 S33 S37 S38 S39 S36 S35 S40)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/09/03 21:06
S44	48	S43 and (trench or groove or slot)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/09/03 21:09
S45	5	moussy-norbert.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/09/03 21:12
S46	11	guedj-cyril.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/09/03 21:11
S47	24	"6018187"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/09/03 21:13
S48	2	("6300648" "6501065").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/03 21:15

S50	21	("20020036700" "5481124" "5619033" "5708263" "5747860" "5801373" "5844292" "5994154" "6018187" "6046444" "6054746" "6054747" "6075253" "6114739" "6171936" "6288435" "6291811" "6303951" "6307242" "6310366" "6605850").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/03 21:18
S51	55	((photoelectric\$3 or photosensitive or photosens\$3 or photodetect\$3 or photo adj electric) or photo-electric) adj (detect\$3 or sens\$3 or receive\$3)) and ((insulat\$3 or dielectric) with (lower adj electrode) with (isolat\$3 or separat\$3 or individual\$3)) and (upper adj (electrode or plate)) and substrate	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/09/03 21:30
S52	762	257/184.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/09/04 11:22
S53	248	257/444.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/09/04 11:12
S55	60241	(photoelectric\$3 or photosensitive or photosens\$3 or photodetect\$3 or optic\$3electri\$3 or ((photo\$3 or light\$3 or optical\$3) near2 (electr\$4 or sens\$4 or detect\$3))) and \$4transparent and (dielectric or insulat\$3 or \$2oxide) and (electrode or plate or pad or terminal) and (wir\$3 or conduct\$3 or plug or contact) and electric\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/02/14 18:52
S56	15591	S55 and (trench or groove or slot)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/02/14 18:51
S57	2157	S56 and ((photoelectric\$3 or photosensitive or photosens\$3 or photodetect\$3 or optic\$3electri\$3 or ((photo\$3 or light\$3 or optical\$3) near2 (electr\$4 or sens\$4 or detect\$3))))).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/02/15 11:42
S58	1269	S57 and (electrode)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/02/14 18:53
S59	526	S58 and ((upper or second or top) adj3 electrode)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/02/14 18:55
S60	400	S59 and (@ad<"20021129" or @rlad<"20021129")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/02/14 18:55
S61	153	S60 and electric\$.ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/02/14 19:06
S62	247	S60 not S61	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/02/14 19:22
S63	225	S62 and substrate	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/02/14 19:23